


Standing Seam Rail-less



DATA SHEET





PRODUCT FEATURES

- / Fits multiple standing seam metal roof profiles
- / Non-penetrating seam clamp maintains roof integrity
- / Seam clamp and mounting rail all in one piece
- / Minimize freight cost and simplify distribution
- / Low part count reduces assembly steps and installation cost
- / 1" of module adjustability along rail once installed
- / Ball point set screw and detent ensure secure attachment

	Standing Seam Rail-less
Material	6000 Series Aluminum, Steel Ball Point Set Screw
Finish	Mill
Tensile strength	34.8ksi (240Mpa)
Yield strength	31.2ksi (215Mpa)
Weight	0.7 lbs/piece (0.32 kg)


Unit: in [mm]



Item Number	Description	Part Number
1	Standing Seam Rail-less	4000532 Standing Seam Rail-less, Kit, Mill
2	Screw Oval 3-8in X 1.75in, 13mm	




SYSTEM COMPONENTS



Standing Seam Rail-less, Kit

Part Number	Description
4000532	Standing Seam Rail-less, Kit, Mill



K2 Cross Clamp

Part Number	Description
4000135	K2 Cross Clamp Set, Mill
4000145	K2 Cross Clamp Set, Dark
4000135-US	K2 Cross Clamp Set, Mill, DC 
4000145-US	K2 Cross Clamp Set, Dark, DC 




K2 Ground Lug

Part Number	Description
4000006-H	K2 Ground Lug, 13mm Hex Set



MLPE, Module Frame Mount, Kit

Part Number	Description
4000083	MLPE, Module Frame Mount, Kit




ILSCO Lug

Part Number	Description
4000960	ILSCO, SGB-4, 4-14 SOL-STR



Connecting Strength



K2 Systems, LLC

4665 North Ave. Suite I • Oceanside, CA 92056 •
USA +1.760.301.5300 • info@k2-systems.com
www.k2-systems.com/en-us

Standing Seam Rail-less Data Sheet ENV2 | 1024 • Subject to change
Product illustrations are exemplary and may differ from the original.

Everest Solar Systems S de RL de CV

Calle Coral 2628 Int. 1 • Col. Residencial
Victoria, CP 44560 • Guadalajara, Jal. • México
+52.33.3575.9380 • info@k2-systems.mx
www.k2-systems.com/es-mx

Standing Seam Rail-less Data Sheet ENV2 | 1024 • Sujeta a cambios
Las ilustraciones del producto son ejemplares y pueden diferir del original.