


# EverFlash eComp + SR Slide Kit



DATA SHEET




## PRODUCT FEATURES

- / High quality, patented design to ensure watertight seal
- / Included as part of a UL 2703 Listed system
- / Easy installation, can be retrofitted without removing shingles
- / Meets or exceeds all known building codes
- / Aluminum base with stainless steel hardware for high corrosion resistance
- / Slide bracket provides adjustability for your Shared Rail installation
- / T-Bolt hardware to attach to CrossRail included



# TECHNICAL DATA




Item Number	Description	Part Number
1	eComp Flashing 8×12"	4000015   EverFlash eComp + SR Slide Kit, Mill
2	Short Slide Bracket, eComp	4000027   EverFlash eComp + SR Slide Kit, Dark
3	Lag Screw D145/16 × 4" SS	4000029   EverFlash eComp + SR Slide Kit, Mill LF, Dark Flash
4	T-Bolt & Hex Nut	
5	L-Foot Slotted Set	

	EverFlash eComp + SR Slide Kit
Roof Type	Composition shingle
Material	Aluminum and stainless steel for high corrosion resistance
Finish	Mill or dark anodized
Roof Connection	5/16" lag screw
Code Compliance	UL 2703
Compatibility	CrossRail 44-X, 48-X, 48-XL, 80



**Connecting Strength**



**K2 Systems, LLC**

4665 North Ave. Suite I • Oceanside, CA 92056 •  
USA +1.760.301.5300 • [infous@k2-systems.com](mailto:infous@k2-systems.com)  
[www.k2-systems.com](http://www.k2-systems.com)

eComp + SR Slide Kit Data Sheet V1 | 1123 • Subject to change  
Product illustrations are exemplary and may differ from the original.